

# Index

**Malimbus Volume 13 (1991)**

Compiled by J.H. Elgood



## I Systematic Names

*Italic* = photograph

- Accipiter badius* 57  
  *castanilius* 57  
  *erythropus* 57  
  *melanoleucus* 57  
  *tachiro* 14
- Acrocephalus schoenobaenus* 64
- Actitis hypoleucos* 13,14,59
- Actophilornis africana* 58
- Agapornis pullaria* 59  
  *swinderniana* 59
- Agelastes niger* 14,57
- Alauda arvensis* 33
- Alcedo quadribrachys* 16,61
- Alethe diademata* 19  
  *poliocephala* 19
- Alopochen aegyptiaca* 56
- Amaurornis flavirostris* 58
- Amblyospiza albifrons* 65
- Anas acuta* 41,54,56  
  *clypeata* 41  
  *querquedula* 41
- Andropadus curvirostris* 17  
  *latirostris* 17  
  *virens* 17,63
- Anthreptes collaris* 21,65  
  *fraseri* 21  
  *gabonicus* 21
- Apalis nigriceps* 20
- Apaloderma aequatoriale* 16  
  *narina* 60
- Apus affinis* 61  
  *caffer* 60
- Aquila rapax* 57
- Ardea cinerea* 56  
  *goliath* 56  
  *melanocephala* 56  
  *purpurea* 56
- Ardeola ralloides* 55
- Artomyias fuliginosa* 64
- Baeopogon clamans* 18
- Bathmocercus cerviniventris* 64
- Bias musicus* 65
- Bleda eximia* 18  
  *syndactyla* 18,18,64
- Bostrychia hagedash* 14,56
- Botaurus stellaris* 55
- Bubo africanus* 60  
  *poensis* 60
- Bubulcus ibis* 55
- Buccanodon duchaillui* 17,62
- Buphagus africanus* 63
- Burhinus senegalensis* 14
- Buteo auguralis* 53,57
- Butorides striatus* 56
- Calandrella brachydactyla* 32,67
- Calidris alba* 10,58  
  *ferruginea* 6,58  
  *fuscicollis* 6  
  *melanotos* 6,7  
  *minuta* 6,58
- Camaroptera brachyura* 64
- Campethra quisicalina* 63

- Campethera cailliautii* 62  
*caroli* 62  
*nivosa* 17
- Caprimulgus binotatus* 60  
*climacurus* 53,60  
*inornatus* 53,60
- Centropus anselli* 60  
*grilli* 60  
*leucogaster* 15  
*senegalensis* 60
- Ceratogymna atrata* 17,62  
*cylindricus* 62  
*elata* 17  
*fistulator* 17,61  
*subcylindricus* 61
- Cercococcyx mechowi* 60  
*olivinus* 15
- Cercotrichas leucosticta* 74  
*leucosticta colstoni* subsp. nov. 75-6  
*podobe* 33
- Ceryle rudis* 16,61,73
- Ceyx lecontei* 16,61  
*picta* 16,61
- Ceuthmochares aereus* 15,60
- Charadrius asiaticus* 8  
*dubius* 58  
*forbesi* 58  
*hiaticula* 5,58  
*leschenaultii* 8  
*marginatus* 58  
*mongolus* 8
- Chlorocichla flavigollis* 63
- Chrysococcyx caprius* 60  
*cupreus* 15,60  
*klaas* 15
- Ciconia abdimii* 53,56  
*episcopus* 14,56  
*nigra* 54,56
- Circus aeruginosus* 54,57
- Cisticola anonyma* 64
- Colius striatus* 61
- Columba unicincta* 59
- Coracina azurea* 17,63
- Corvus albus* 22
- Corythaeola cristata* 15,59  
*Corythornis cristata* 16,61  
*leucogaster* 16,61
- Crex egregia* 57
- Criniger barbatus* 17  
*calurus* 18,64
- Cuculus clamosus* 60  
*solitarius* 15,59
- Cypsiurus parvus* 16,60
- Dendropicos ellioti* 62  
*gabonensis* 62  
*poecilolaemus* 62  
*xantholophus* 17,62
- Dicrurus adsimilis* 22  
*atripennis* 22,63  
*ludwigii* 22,63
- Dryoscopus sabini* 19
- Dryotriorchis spectabilis* 57
- Egretta alba* 56  
*garzetta* 56  
*intermedia* 56
- Elanus caeruleus* 56
- Ephippiorhynchus senegalensis* 56,88
- Eremopteryx leucotis* 32,67,69-70  
*nigriceps* 32,67
- Erythrocercus mccallii* 65
- Estrilda astrild* 66  
*atricapilla* 66
- Euplectes hordeaceus* 66  
*macrourus* 66
- Eupodotis melanogaster* 58
- Eurystomus gularis* 61
- Francolinus lathami* 57  
*squamatus* 57
- Fraseria cinerascens* 21  
*ocreata* 20,65
- Galerida cristata* 33,67,70-71  
*modesta* 67-72
- Gallinago gallinago* 58
- Glareola cinerea* 54,58

- nuchalis 14,58
- pratincola 5
- Glaucidium sjoestedti* 15,15
- Guttera plumifera* 57
  - pucherani 57
- Gymnobucco bonapartei* 62
- Gypohierax angolensis* 14,57
- Haematopus ostralegus* 45
- Halcyon badia* 16,61
  - leucocephala 61
  - malimbica 16
  - senegalensis 16,61
- Haliaeetus vocifer* 57
- Himantopus himantopus* 54,58
- Himantornis haematopus* 14,57
- Hirundo nigrita* 17,62
  - rustica 17,62
  - semirufa 62
  - senegalensis 62
  - smithii 62
- Hylia prasina* 20
- Indicator maculatus* 17
- Ixyobrychus sturmii* 55
- Ixonotus guttatus* 18,63
- Kaupifalco monogrammica* 57
- Lamprotornis purpureiceps* 63
  - splendidus 63
- Laniarius ferrugineus* 63
  - leucorhynchus 63
- Larus cirrhocephalus* 54,59
- Leptoptilos crumeniferus* 56
- Lonchura bicolor* 66
  - cucullata 66
- Lophaetus occipitalis* 57
- Macrodipteryx longipennis* 60
  - vexillaria 60
- Macrosphenus flavicans* 20
- Malacocincla cleaveri* 64
- Malacocincla (Trichastoma) cleaveri* 19
- rufipennis* 19
- Malimbus malimbicus* 22,66
  - nitens 22,66
  - racheliae 21
  - rubricollis 21,66
- Megacyrle maxima* 16,61
- Melichneutes robustus* 62
- Merops albicollis* 13,16,54,61
  - breweri 61
  - gularis 16,61
  - muelleri 13,16,61
  - variegatus 61
- Milvus migrans* 14,53,56
- Mirafra cantillans* 67-69,72
  - cordofanica 32
  - javanica 24-39
  - nigricans 67
  - rufocinnamomea 67,69
- Motacilla aguimp* 63
  - alba 63
  - clara 17
  - flava 63
- Muscicapa cassini* 20,64
  - comitata 20,64
  - olivascens 20,64
  - sethsmithi 20,64
  - striata 64
- Mycteria ibis* 56
- Myioparus plumbeus* 64
- Myrmecocichla nigra* 64
- Neafrapus cassini* 60
- Nectarinia batesi* 21
  - chloropygia 21,65
  - coccinigaster 65
  - cyanolaema 21
  - olivacea 21,65
  - rubescens 65
  - senegalensis 65
  - verticalis 65
- Neocossyphus fraseri* 19
  - poensis 19
- Nicator chloris* 19
- Nigrita bicolor* 22

- canicapilla 22,66
- fusconata 66
- Nycticorax nycticorax* 55
- Oriolus brachyrhynchus* 22,63
  - nigripennis 63
  - oriolus 63
- Ortygospiza atricollis* 68
- Oxylophus levaillantii* 59
- Pandion haliaetus* 14
- Parmoptila woodhousei* 22
- Parus funereus* 65
- Passer griseus* 66
- Phalacrocorax africanus* 55
- Phalaropus tricolor* 6,7
- Philomachus pugnax* 58
- Phoenicopterus ruber* 41
- Phoeniculus bollei* 61
- Phyllastrephus icterinus* 19,64
  - scandens 64
  - xavieri 19,64
- Picathartes oreas* 11,13,20
- Platysteira castanea* 21,65
  - concreta 21,65
  - cyanea 65
  - tonsa 21
- Plectropterus gambensis* 56
- Plocepasser superciliosus* 66
- Ploceus aurantius* 65
  - cucullatus 65
  - nigerrimus 21,66
  - ocularis 66
  - superciliosus 66
- Pluvialis apricaria* 3-5
  - dominica 3-5
  - fulva 3-6,8
- Pluvianus aegyptius* 54,58
- Podica senegalensis* 14,58
- Podiceps auritus* 40
  - nigriceps 40
  - ruficollis 41
- Poeoptera lugubris* 22
- Pogoniulus atroflavus* 17,62
- bilineatus* 17,62
- scolopaceus* 62
- Poicephalus gulielmi* 59
- Polyboroides typus* 14,57
- Porphyrio porphyrio* 78
- Prinia bairdii* 64
  - subflava 64
- Prionops caniceps* 63
  - plumata 63
- Psalidoprocne nitens* 62
  - pristoptera 62
- Psittacus erithacus* 15,59
- Pteronetta hartlaubii* 14,56
- Ptilostomus afer* 63
- Pycnonotus barbatus* 63
- Quelea quelea* 80
- Recurvirostra avosetta* 54,58
- Rhaphidura sabini* 16,60
- Sarkidiornis melanotos* 54,56
- Sarothrura pulchra* 14
- Sasia africana* 62
- Saxicola rubetra* 64
- Scopus umbretta* 14,56
- Smithornis rufolateralis* 17
- Spermophaga haematina* 22
- Stephanoaetus coronatus* 14,57
- Stiphronis erythrothorax* 19
- Strix woodfordii* 16,60
- Sturnella magna* 33
  - neglecta 32
- Sylvietta virens* 64
- Tachybaptus ruficollis* 14,40
- Tauraco macrorhynchus* 15
  - persa 59
- Tchagra australis* 63
- Telecanthura melanopygia* 60
  - ussheri 60
- Terpsiphone batesi* 65
  - rufiventer 21,65
  - viridis 65

- Thescelocichla leucopleura* 63  
*Threskiornis aethiopica* 56  
*Tigriornis leucocephalus* 14,55  
*Tockus albocristatus* 16,61  
    camurus 16,61  
    fasciatus 16,61  
    hartlaubi 16,61  
*Trachyphonus purpuratus* 62  
*Treron calva* 14,59  
*Trichastoma cleaveri* 19  
    rufipennis 19  
*Tricholaema hirsuta* 17  
*Tringa erythropus* 58  
    glareola 5,59  
    nebularia 59  
    ochropus 59  
    stagnatilis 59  
    totanus 58  
*Trochocercus nigromitratus* 21,65  
    nitens 21,65  
*Turdoides reinwardii* 64  
*Turdus cameronensis* 19,20  
    pelios 64  
    princei 19  
*Turnix sylvatica* 53,57  
*Turtur afer* 59  
    brehmeri 14,59  
*Upupa epops* 61  
*Urotriorchis macrourus* 14,57
- Vanellus albiceps* 58  
    senegallus 54,58  
    spinosus  $\beta$
- Vidua macroura* 66  
    orientalis 66
- Xenus cinereus* 8

## II Authors and Contents

### Accounts 48

Bailleul, P. & Le Gal, P.-Y. Observation du Grèbe à cou noir au Sénégal. 40-41

### Book Reviews 42-45, 79-87

Fishpool, L.D.C & Demey, R. The occurrence of both species of "Lesser Golden Plover" and of Nearctic scolopacids in Côte d'Ivoire. 3-10

Green, A.A. & Carroll, R.W. The avifauna of Dzanga-Ndoki National Park and Dzanga-Sangha Rainforest Reserve, Central African Republic. 49-66

Jones, R.M. The status of larks in The Gambia, including first records of Sun Lark *Galerida modesta*. 67-73

Mullié, W.C. & Keith, J.O. Notes on the breeding biology, food and weight of the Singing Bush Lark *Mirafra javanica* in northern Senegal. 24-39

### Notices 46-47, 87-88

Sala, A. La Talève poule-sultane *Porphyrio porphyrio madagascariensis* à Yaoundé, Cameroun. 78

Thomas, J. Birds of the Korup National Park, Cameroon. 11-23

Tye, A. A new subspecies of Forest Scrub-Robin *Cercotrichas leucosticta* from West Africa. 74-77

Williams, E. Black-necked Grebe *Podiceps nigricollis*, new to Cameroon. 40



SMITHSONIAN LIBRARIES



3 9088 01793 0710